



Plaswood is an extremely dense and heavy material manufactured from recycled plastic with excellent outdoor properties. Unlike wood or steel, it is impervious to all weather, rot resistant, splinter free, moisture repellent and maintenance free. Combined with stainless steel fixings our range of tee furniture is built to look good and last many years.

Signage


Aluminium dibond signs compliment the Plaswood products. Text and high quality graphics are printed directly onto the substrate with UV stabilised inks. A weather protecting lamination is applied to enhance durability.

Sponsorship

Sponsorship can be a useful way to reduce the tee furniture cost if desired. We offer a full sponsorship support package making it easy for you to attract potential sponsors.

A sample sign is available upon request.

Kind to our environment



Maintenance Free




Durable



Weather Proof




Versatile



High Strength




Sustainable



Non Staining



Recyclable



Long Lasting




UV Stable

Installation

The Plaswood range can be ‘concreted in’ to provide a permanent fixture or inserted into post sleeves for removal during mowing.

Signage can be easily replaced to keep all information up to date.





TWIN POST PLASWOOD TEE SIGN

The Twin Post Medium Tee sign will be the focal point of your on course signage. With a lifetime of low maintenance service these signs are ideal for even the most challenging of environments.

Available in Black or Brown.

This system can become an important source of funding for your club as they prove very attractive to potential sponsors. The top board is a continuation of your club identity clearly showing Yardage, Par & S.I. information. A sponsor panel can be added below making the stands cost effective and profitable.



Available at any custom size



Weatherproof Dibond Plates



Sponsorship Plates


SPECIFICATION

☐ PLASWOOD STAND  
Plaswood 62mm x 62mm x 1050mm uprights with 450mm wide x 30mm thick cross members.

☐ TOP SIGN  
Weatherproof 445mm x 295mm x 3mm dibond aluminium incorporating all hole information.

Options:  
Hole diagrams  
Sunrise or Pitch shaped tops  
Different substrates i.e. zinc etched

☐ BOTTOM SIGN  
445mm x 145mm x 3mm dibond aluminium sponsor or commemorative panel.



**darke:audiovisual**  
*Simplifying technology*

- Control Systems
- Multi-room Audio
- Distributed Video
- Video Conferencing
- Security
- IT Systems
- Lighting Systems
- Home Cinema
- Golf Simulators

www.darkeav.co.uk | hello@darkeav.co.uk | 01733 246 907



## SINGLE POST PERMANENT TEE SIGNS

Post: 100mm x 100mm x 1000mm  
Plaswood.  
(700mm above ground)

Info Panel: 75mm x 350 mm x 3mm  
dibond aluminium set into recess.  
Weather and UV protected.

## HEAVY DUTY WASTE BIN

Overall Size:  
500mm wide x 700mm high

Approximate Weight: 45kg

Capacity: 76Litres






## TEE MARKERS

Individual tee markers supplied  
with a steel spike.

Plaswood base finished with a  
coloured perspex face plate.  
Available in a range of colours.  
Plain or printed with club logo.

Finished Size:  
80mm x 80mm x 100mm high





WYNYARD GOLF CLUB									
COURSE RATING™ & SLOPE RATING® TABLE					ENGLAND GOLF				
Blue (Men)		White (Men)		Yellow (Men)		Yellow (Ladies)		Red (Ladies)	
Course Rating™: 74.6 Slope Rating®: 127		Course Rating™: 73.0 Slope Rating®: 127		Course Rating™: 70.5 Slope Rating®: 125		Course Rating™: 77.3 Slope Rating®: 140		Course Rating™: 73.9 Slope Rating®: 132	
Handicap Index	Course H/cap	Handicap Index	Course H/cap	Handicap Index	Course H/cap	Handicap Index	Course H/cap	Handicap Index	Course H/cap
+5.0 to +4.9	+8	+5.0 to +4.9	+8	+5.0 to +5.0	+8	+5.0 to +4.5	+8	+5.0 to +4.8	+8
+4.8 to +4.1	+9	+4.8 to +4.1	+9	+4.0 to +3.7	+9	+4.4 to +3.7	+9	+4.7 to +3.8	+9
+4.0 to +3.2	+4	+4.0 to +3.2	+4	+4.0 to +3.2	+4	+3.6 to +2.9	+4	+3.8 to +3.0	+4
+3.1 to +2.3	+3	+3.1 to +2.3	+3	+3.1 to +2.3	+3	+2.8 to +2.1	+3	+2.8 to +2.2	+3
+2.2 to +1.4	+2	+2.2 to +1.4	+2	+2.2 to +1.4	+2	+2.0 to +1.3	+2	+2.1 to +1.3	+2
+1.3 to +0.5	+1	+1.3 to +0.5	+1	+1.3 to +0.5	+1	+1.2 to +0.5	+1	+1.2 to +0.5	+1
+0.4 to 0.4	0	+0.4 to 0.4	0	+0.4 to 0.4	0	+0.4 to 0.4	0	+0.4 to 0.4	0
0.5 to 1.2	1	0.5 to 1.2	1	0.5 to 1.2	1	0.5 to 1.2	1	0.5 to 1.2	1
1.3 to 2.2	2	1.3 to 2.2	2	1.3 to 2.2	2	1.3 to 2.2	2	1.3 to 2.2	2
2.3 to 3.1	3	2.3 to 3.1	3	2.3 to 3.1	3	2.3 to 2.8	3	2.3 to 2.8	3
3.2 to 4.0	4	3.2 to 4.0	4	3.2 to 4.0	4	2.9 to 3.6	4	3.0 to 3.8	4
4.1 to 4.8	5	4.1 to 4.8	5	4.1 to 4.8	5	3.7 to 4.4	5	3.8 to 4.7	5
4.9 to 5.7	6	4.9 to 5.7	6	5.0 to 5.8	6	4.5 to 5.2	6	4.8 to 5.5	6
5.8 to 6.6	7	5.8 to 6.6	7	6.0 to 6.7	7	5.3 to 6.0	7	5.5 to 6.2	7
6.7 to 7.5	8	6.7 to 7.5	8	6.8 to 7.5	8	6.1 to 6.8	8	6.3 to 7.0	8
7.6 to 8.4	9	7.6 to 8.4	9	7.7 to 8.5	9	6.9 to 7.6	9	7.2 to 8.0	9
8.5 to 9.3	10	8.5 to 9.3	10	8.6 to 9.4	10	7.7 to 8.4	10	8.2 to 8.9	10
9.4 to 10.2	11	9.4 to 10.2	11	9.5 to 10.3	11	8.5 to 9.2	11	9.0 to 9.8	11
10.3 to 11.1	12	10.3 to 11.1	12	10.4 to 11.2	12	9.3 to 10.0	12	9.9 to 10.7	12
11.2 to 12.0	13	11.2 to 12.0	13	11.3 to 12.2	13	10.1 to 10.8	13	10.8 to 11.5	13
12.1 to 12.9	14	12.1 to 12.9	14	12.3 to 13.1	14	10.9 to 11.7	14	11.6 to 12.4	14
13.0 to 13.7	15	13.0 to 13.7	15	13.2 to 14.0	15	11.8 to 12.5	15	12.5 to 13.2	15
13.8 to 14.6	16	13.8 to 14.6	16	14.1 to 14.9	16	12.6 to 13.3	16	13.3 to 14.1	16
14.7 to 15.5	17	14.7 to 15.5	17	15.0 to 15.8	17	13.4 to 14.1	17	14.2 to 14.9	17
15.6 to 16.4	18	15.6 to 16.4	18	15.9 to 16.7	18	14.2 to 14.9	18	15.0 to 15.8	18
16.5 to 17.3	19	16.5 to 17.3	19	16.8 to 17.6	19	15.0 to 15.7	19	15.9 to 16.6	19
17.4 to 18.2	20	17.4 to 18.2	20	17.7 to 18.5	20	15.8 to 16.5	20	16.7 to 17.5	20
18.3 to 19.1	21	18.3 to 19.1	21	18.6 to 19.4	21	16.6 to 17.3	21	17.6 to 18.4	21
19.2 to 20.0	22	19.2 to 20.0	22	19.5 to 20.3	22	17.4 to 18.1	22	18.5 to 19.2	22
20.1 to 20.9	23	20.1 to 20.9	23	20.4 to 21.2	23	18.2 to 18.9	23	19.3 to 20.1	23
21.0 to 21.7	24	21.0 to 21.7	24	21.3 to 22.1	24	19.0 to 19.7	24	20.2 to 20.9	24
21.8 to 22.6	25	21.8 to 22.6	25	22.2 to 23.0	25	19.8 to 20.5	25	21.0 to 21.8	25
22.7 to 23.5	26	22.7 to 23.5	26	23.1 to 23.9	26	20.6 to 21.3	26	21.9 to 22.7	26
23.6 to 24.4	27	23.6 to 24.4	27	24.0 to 24.8	27	21.4 to 22.1	27	22.7 to 23.5	27
24.5 to 25.3	28	24.5 to 25.3	28	24.9 to 25.7	28	22.2 to 23.0	28	23.6 to 24.3	28
25.4 to 26.2	29	25.4 to 26.2	29	25.8 to 26.6	29	23.1 to 23.8	29	24.4 to 25.2	29
26.3 to 27.1	30	26.3 to 27.1	30	26.7 to 27.5	30	23.9 to 24.6	30	25.3 to 26.0	30
27.2 to 28.0	31	27.2 to 28.0	31	27.6 to 28.4	31	24.7 to 25.4	31	26.2 to 26.9	31
28.1 to 28.9	32	28.1 to 28.9	32	28.5 to 29.3	32	25.5 to 26.2	32	27.0 to 27.8	32
29.0 to 29.8	33	29.0 to 29.8	33	29.4 to 30.2	33	26.3 to 27.0	33	27.9 to 28.6	33
29.9 to 30.6	34	29.9 to 30.6	34	30.3 to 31.1	34	27.1 to 27.8	34	28.7 to 29.5	34
30.7 to 31.5	35	30.7 to 31.5	35	31.2 to 32.0	35	27.9 to 28.6	35	29.6 to 30.3	35
31.6 to 32.4	36	31.6 to 32.4	36	32.1 to 32.9	36	28.7 to 29.4	36	30.4 to 31.2	36
32.5 to 33.3	37	32.5 to 33.3	37	33.0 to 33.8	37	29.5 to 30.2	37	31.3 to 32.1	37
33.4 to 34.2	38	33.4 to 34.2	38	33.9 to 34.8	38	30.3 to 31.0	38	32.2 to 32.9	38
34.3 to 35.1	39	34.3 to 35.1	39	34.8 to 35.7	39	31.1 to 31.8	39	33.0 to 33.8	39
35.2 to 36.0	40	35.2 to 36.0	40	35.7 to 36.6	40	31.9 to 32.6	40	33.9 to 34.6	40
36.1 to 36.9	41	36.1 to 36.9	41	36.6 to 37.5	41	32.7 to 33.4	41	34.7 to 35.5	41
37.0 to 37.8	42	37.0 to 37.8	42	37.5 to 38.4	42	33.5 to 34.3	42	35.6 to 36.3	42
37.9 to 38.7	43	37.9 to 38.7	43	38.4 to 39.3	43	34.4 to 35.1	43	36.4 to 37.2	43
38.8 to 39.5	44	38.8 to 39.5	44	39.3 to 40.2	44	35.2 to 35.9	44	37.3 to 38.0	44
39.6 to 40.4	45	39.6 to 40.4	45	40.2 to 41.1	45	36.0 to 36.7	45	38.1 to 38.9	45
40.5 to 41.3	46	40.5 to 41.3	46	41.2 to 42.0	46	36.8 to 37.5	46	39.0 to 39.8	46
41.4 to 42.2	47	41.4 to 42.2	47	42.1 to 42.9	47	37.6 to 38.3	47	39.9 to 40.6	47
42.3 to 43.1	48	42.3 to 43.1	48	43.0 to 43.8	48	38.4 to 39.1	48	40.7 to 41.5	48
43.2 to 44.0	49	43.2 to 44.0	49	43.9 to 44.7	49	39.2 to 39.9	49	41.6 to 42.3	49
44.1 to 44.9	50	44.1 to 44.9	50	44.8 to 45.6	50	40.0 to 40.7	50	42.4 to 43.2	50
45.0 to 45.8	51	45.0 to 45.8	51	45.7 to 46.5	51	40.8 to 41.5	51	43.3 to 44.0	51
45.9 to 46.7	52	45.9 to 46.7	52	46.6 to 47.4	52	41.6 to 42.3	52	44.1 to 44.9	52
46.8 to 47.6	53	46.8 to 47.6	53	47.5 to 48.3	53	42.4 to 43.1	53	45.0 to 45.8	53
47.7 to 48.4	54	47.7 to 48.4	54	48.4 to 49.2	54	43.2 to 43.9	54	45.9 to 46.6	54
48.5 to 49.3	55	48.5 to 49.3	55	49.3 to 50.1	55	44.0 to 44.7	55	46.8 to 47.5	55
49.4 to 50.2	56	49.4 to 50.2	56	50.2 to 51.0	56	44.8 to 45.4	56	47.6 to 48.3	56
50.3 to 51.1	57	50.3 to 51.1	57	51.1 to 51.9	57	45.7 to 46.4	57	48.5 to 49.2	57
51.2 to 52.0	58	51.2 to 52.0	58	52.0 to 52.8	58	46.5 to 47.2	58	49.3 to 50.0	58
52.1 to 52.9	59	52.1 to 52.9	59	52.9 to 53.7	59	47.3 to 48.0	59	50.1 to 50.9	59
53.0 to 53.8	60	53.0 to 53.8	60	53.8 to 54.6	60	48.1 to 48.8	60	51.0 to 51.7	60
53.9 to 54.6	61	53.9 to 54.6	61	54.7 to 55.5	61	48.9 to 49.6	61	51.9 to 52.6	61
				55.6 to 56.4	62	49.7 to 50.4	62	52.7 to 53.5	62
				56.5 to 57.3	63	50.5 to 51.2	63	53.6 to 54.3	63
				57.4 to 58.2	64	51.3 to 52.0	64		
				58.3 to 59.1	65	52.1 to 52.8	65		
				59.2 to 60.0	66	52.9 to 53.6	66		
				60.1 to 60.9	67	53.7 to 54.4	67		

A1 DIBOND ALUMINIUM BOARD INCORPORATING COURSE AND SLOPE RATING INFORMATION



62mm square posts x 2100mm high with 400mm below ground.  
600mm x 900mm backboard.

Stand and sign can be customised to any size to accommodate multiple rating columns or dual signage e.g. WHS Sign with 'Playing Handicap Allowances Table' next to it.

**K&M**GOLF

1 Featherstone Rise, Cotherstone, Barnard Castle,  
County Durham DL12 9QX

t 01740 651501 | m 07900 525555

e [keith@kandmgolf.co.uk](mailto:keith@kandmgolf.co.uk) | w [www.kandmgolf.co.uk](http://www.kandmgolf.co.uk)